















WATER BASED LATEX ADHESIVES


Product	Package Net/Kg	Viscosity / Solid Content %	Drying Time	Appearance	Colour	Application Areas	Equipment	Flammability
LS-200 Chloroprene rubber Latex Adhesive	Plastic Gallon : 3 Kg Pail : 20 Kg Plastic Drum : 200 Kg	100 - 200 cps 56 - 60 %	1 - 3 minutes	Viscous liquid	Milky White	Spray adhesive for bonding foam to foam, PU foam and foam to leather		
LS-2060 Polyvinyl Acetate Adhesive	Plastic Bottle : 10 Kg Plastic Barrel : 20 Kg Plastic Barrel : 50 Kg Plastic Barrel : 100 Kg	40,000 - 55,000 cps 18 - 21 %	15 - 30	Viscous liquid	Milky White	Use for Saving coat adhesive for General Purpose Adhesive (GP), Praquet, Plywood, Paper adhesive on OPP film overlaying to Particleboard / Plywood Adhesive on paper film overlaying to Particleboard / Plywood.		
LS-3000 Polyvinyl Acetate Adhesive	Plastic Bottle : 10 Kg Plastic Barrel : 20 Kg Plastic Barrel : 50 Kg Plastic Barrel : 100 Kg	25,000 - 50,000 cps 48 - 50 %	3 - 5 minutes	Viscous liquid	Milky White	Use for general purpose, praquet, wood joint and paper.		
Dunlop LS-105 Acrylic Copolymer Adhesive	Plastic Bottle : 10 Kg Plastic Barrel : 20 Kg Plastic Barrel : 50 Kg Plastic Barrel : 100 Kg	20,000 - 30,000 cps 55 - 58 %	15 - 30 minutes	Viscous liquid	Milky White	Use for Stationary tape, PVC tile, Sticker and Packing tape.		


WATER BASED LATEX ADHESIVES

Product	Package Net/Kg	Viscosity / Solid Content %	Drying Time	Appearance	Colour	Application Areas	Equipment	Flammability
Dunlop LS-106 Acrylic Copolymer Adhesive	Plastic Bottle : 10 Kg Plastic Barrel : 20 Kg Plastic Barrel : 50 Kg Plastic Barrel : 100 Kg	40,000 - 50,000 cps 50 - 54 %	15 - 30 minutes	Viscous liquid	Milky White	Use for PVC tile adhesive, Carpet Printing table tape and PSA application. High Viscosity Type.		
Dunlop LS-100	Plastic Bottle : 10 Kg Plastic Barrel : 20 Kg Plastic Barrel : 50 Kg Plastic Barrel : 100 Kg	1,000 - 2,000 cps 53 - 55 %	5 - 10 minutes	Viscous liquid	Milky White	Use for laminate plastic with wood PVC Sheet to wood, PVC membrane (For Spray adhesive)		

	Use with spray gun
--	--------------------

	Use with brush.
--	-----------------

	Use with trowel
--	-----------------

<p>WARNING</p>  <p>FLAMMABLE</p>	<p>These products contain flammable solvent. It must be ensured that working place is well ventilated. There should be no smoking no welding, no naked flame, pilot flame or fire. Sparkig must be avoided.</p>
--	---

WATER BASED LATEX ADHESIVES

Product	Package Net/Kg	Viscosity / Solid Content %	Drying Time	Appearance	Colour	Application Areas	Equipment	Flammability
---------	----------------	-----------------------------	-------------	------------	--------	-------------------	-----------	--------------

WARNING



FLAMMABLE

These products contain flammable solvent. It must be ensured that working place is well ventilated. There should be no smoking no welding, no naked flame, pilot flame or fire. Sparking must be avoided.